

SPECIFICATION FOR APPROVAL

Customer _____

Product Name SMD LED LAMP

Part No. XC-0603RVC

Customer Part No. _____

Date 2010-07-28

APPROVED SIGNATURES			

APPROVED SIGNATURES			

深圳市旋彩电子有限公司

SHENZHEN XUAN CAI ELECTRONIC CO.,LTD

Tel: 86-755-29015199

Fax: 86-755-29015399


APPROVE	CHECK	DRAW

SHEN ZHEN XUAN CAI ELECTRONIC CO.,LTD


■ Features

1. Mono-color type
2. Demensions: 1.6(L)*0.8(W)*0.6(H)mm
3. Compatible with automatic equipment
4. Compatible with infrared and vapor phase reflow solder process

■ Dimension



■ Far Field Pattern



■ Descriptions

PART NO	Chip		Lens Color
	Material	Emitted Color	
XC0603RVC	AlGaInP	Red	WATER CLEAR

SHEN ZHEN XUAN CAI ELECTRONIC CO.,LTD

■ Absolute Maximum Ratings (Ta = 25°C)

Items	Symbol	Absolute maximum Rating	Unit
Forward Current(DC)	I _F	50	mA
Peak Forward Current*	I _{FP}	100	mA
Reverse Voltage	V _R	5	V
Operation Temperature	T _{opr}	-40 ~ +95	°C
Storage Temperature	T _{stg}	-40 ~ +100	°C
Lead Soldering Temperature	T _{sol}	Max.260°C for 5 sec Max. (3mm from the base of the epoxy bulb)	

*Pulse width \leq 0.1msec duty \leq 1/10

■ Typical Electrical & Optical Characteristics (Ta = 25°C)

Items	Symbol	Condition	Min.	Typ.	Max.	Unit
Power Dissipation	PD	IF = 20mA	---	40	---	mW
Forward Voltage	VF	IF = 20mA	1.7	---	2.4	V
Reverse Current	IR	VR = 5V	---	---	5	μ A
Dominant Wavelength	λ_D	IF = 20mA	620	---	635	nm
Luminous Intensity	IV	IF = 20mA	---	80	---	mcd
50% Power Angle	$2\theta_{\frac{1}{2}}$	IF = 20mA	---	120	---	Deg

SHEN ZHEN XUAN CAI ELECTRONIC CO.,LTD

■ Typical Electrical/Optical Characteristics Curves ($T_a=25^\circ$ Unless Otherwise Noted)




Fig. 1 Forward Current vs Forward Voltage




Fig. 2 Relative Luminous Intensity vs Forward Current




Fig. 3 Reverse Current vs Reverse Voltage




Fig. 4 Relative Luminous Intensity vs Wavelength




Fig. 5 Relative Luminous Intensity vs Ambient Temperature




Fig. 6 Maximum Forward Current vs Ambient Temperature