


SPECIFICATION FOR APPROVAL

CUSTOMER:		DATE:	
PART NO: WCB3225-102Y-N		DWG.NO: SL0670074	
CUSTOMER PART NO:		CUST.DWG.NO:	
<p>(1) DIMENSIONS (UNIT: mm)</p> 		A	3.30 ± 0.20 m/m
		B	2.60 ± 0.20 m/m
		C	2.50 ± 0.15 m/m
		D1	0.50 (REF) m/m
		D2	0.90 (REF) m/m
		E	m/m
		F	m/m
		G	m/m
		H	m/m
		I	m/m
(2) ELECTRICAL REQUIREMENTS			
Z (Ω)	1000 ± 25%	TEST FREQ	100MHz
RDC (mΩ)	160 (MAX)	TEST FREQ	
IDC (mA)	1500 (MAX)	TEST FREQ	
		APPROVED BY 吳載敏	
		CHECKED BY 張明德	
		DRAWN BY Vicky	

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :					DATE :				
PART NO: WCB3225-102Y-N					DWG.NO: SL0670074				
CUSTOMER PART NO :					CUST.DWG.NO :				
ITEM	Z (Ω)	RDC (mΩ)	IDC (mA)		A	B	C		
FREQ	100MHz								
SPEC	1000 ± 25%	160 (MAX)	1500 (MAX)		3.30 ± 0.20	2.60 ± 0.20	2.50 ± 0.15		
1	929	111	OK		3.34	2.64	2.47		
2	911	126	OK		3.31	2.61	2.47		
3	897	112	OK		3.33	2.63	2.45		
4	916	111	OK		3.33	2.62	2.45		
5	985	108	OK		3.35	2.63	2.50		
6	929	111	OK		3.34	2.64	2.47		
7	911	126	OK		3.31	2.61	2.47		
8	897	112	OK		3.33	2.63	2.45		
9	916	111	OK		3.33	2.62	2.45		
10	985	108	OK		3.35	2.63	2.50		
X̄	928	114			3.33	2.63	2.47		
R	88	18			0.04	0.03	0.05		
TEST INSTRUMENTS: HP4191A GKT-502BC CH2816 WR7210					APPROVED BY 吳載敏				
					CHECKED BY 張明德				
					DRAWN BY Vicky				

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-9819-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

WCB3225-102Y-N

