


SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:			
PART NO: LCB1608-471Y-N				DWG.NO: TE9808301			
CUSTOMER PART NO:				CUST.DWG.NO:			
(1) DIMENSIONS (UNIT: mm) 				A	1.6 ± 0.2	m/m	
				B	0.8 ± 0.2	m/m	
				C	0.8 ± 0.2	m/m	
				D	0.3 ± 0.2	m/m	
				E		m/m	
				F		m/m	
				G		m/m	
				H		m/m	
				I		m/m	
				J		m/m	
(2) ELECTRICAL REQUIREMENTS							
Z (Ω)	$470 \pm 25\%$	TEST FREQ	100MHz/100mV				
RDC (Ω)	0.25 (MAX)	TEST FREQ					
IDC (mA)	1000 (MAX)	TEST FREQ					
TEST INSTRUMENTS HP4338A MILLIOHMMETER HP4291B RF IMPEDANCE/MATERIAL ANALYZER				APPROVED BY			
				吳載敏			
				CHECKED BY			
				張明德			
				DRAWN BY			
				Amy Lu			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :				DATE :					
PART NO: LCB1608-471Y-N				DWG.NO: TE9808301					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)	DIMENSION (UNIT : mm)					
				A	B	C	D		
FREQ	100MHz /100mV								
SPEC	470 ± 25%	0.25 (MAX)	1000 (MAX)	1.6 ± 0.2	0.8 ± 0.2	0.8 ± 0.2	0.3 ± 0.2		
1	441.9	0.129	OK	1.60	0.82	0.81	0.28		
2	429.7	0.131	OK	1.60	0.80	0.82	0.30		
3	463.5	0.127	OK	1.61	0.80	0.82	0.33		
4	457.0	0.127	OK	1.61	0.82	0.82	0.29		
5	433.8	0.131	OK	1.62	0.80	0.82	0.33		
6	459.9	0.122	OK	1.62	0.81	0.80	0.33		
7	505.7	0.131	OK	1.62	0.80	0.80	0.32		
8	461.3	0.128	OK	1.63	0.83	0.80	0.30		
9	472.9	0.131	OK	1.63	0.82	0.81	0.31		
10	450.4	0.125	OK	1.64	0.81	0.81	0.32		
X	457.6	0.128		1.62	0.81	0.81	0.31		
R	76.0	0.009		0.04	0.03	0.02	0.05		
						APPROVED BY			
						吳載敏			
						CHECKED BY			
						張明德			
						DRAWN BY			
						Amy Lu			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

LCB1608-471Y-N

