


SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:		
PART NO: LCB1608-601Y-N				DWG.NO: TE9803185		
CUSTOMER PART NO:				CUST.DWG.NO:		
(1) DIMENSIONS (UNIT: mm) 				A	1.6 ± 0.2	m/m
				B	0.8 ± 0.2	m/m
				C	0.8 ± 0.2	m/m
				D	0.3 ± 0.2	m/m
				E		m/m
				F		m/m
				G		m/m
				H		m/m
				I		m/m
				J		m/m
(2) ELECTRICAL REQUIREMENTS						
Z (Ω)	$600 \pm 25\%$	TEST FREQ	100MHz/100mV			
RDC (Ω)	0.2 (MAX)	TEST FREQ				
IDC (mA)	1000 (MAX)	TEST FREQ				
TEST INSTRUMENTS HP4338A MILLIOHMMETER HP4291B RF IMPEDANCE/MATERIAL ANALYZER				APPROVED BY 吳載敏		
				CHECKED BY 張明德		
				DRAWN BY 黃慧診		

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :				DATE :					
PART NO: LCB1608-601Y-N				DWG.NO: TE9803185					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)	DIMENSION (UNIT : mm)					
				A	B	C	D		
FREQ	100MHz /100mV								
SPEC	600 ± 25%	0.2 (MAX)	1000 (MAX)	1.6 ± 0.2	0.8 ± 0.2	0.8 ± 0.2	0.3 ± 0.2		
1	582.5	0.145	OK	1.60	0.85	0.80	0.29		
2	547.9	0.150	OK	1.61	0.82	0.82	0.30		
3	564.6	0.139	OK	1.60	0.85	0.80	0.29		
4	579.9	0.147	OK	1.65	0.81	0.84	0.34		
5	555.8	0.146	OK	1.62	0.82	0.81	0.33		
6	538.8	0.144	OK	1.60	0.81	0.80	0.32		
7	568.6	0.147	OK	1.62	0.83	0.82	0.29		
8	563.7	0.143	OK	1.63	0.84	0.83	0.31		
9	588.5	0.146	OK	1.65	0.81	0.80	0.30		
10	565.1	0.152	OK	1.60	0.82	0.80	0.31		
X	565.54	0.146		1.618	0.826	0.812	0.308		
R	49.7	0.013		0.05	0.04	0.04	0.05		
						APPROVED BY			
						吳載敏			
						CHECKED BY			
						張明德			
						DRAWN BY			
						黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

LCB1608-601Y-N

