


SPECIFICATION FOR APPROVAL

CUSTOMER:			DATE:				
PART NO: LCB3216-121Y-N			DWG.NO: TE9911121				
CUSTOMER PART NO:			CUST.DWG.NO:				
(1) DIMENSIONS (UNIT: mm) 			A	3.2 ± 0.2	m/m		
			B	1.6 ± 0.2	m/m		
			C	1.1 ± 0.2	m/m		
			D	0.5 ± 0.3	m/m		
			E		m/m		
			F		m/m		
			G		m/m		
			H		m/m		
			I		m/m		
			J		m/m		
(2) ELECTRICAL REQUIREMENTS							
Z (Ω)	$120 \pm 25\%$	TEST FREQ				100MHz / 100mV	
RDC (Ω)	0.04 (MAX)	TEST FREQ					
IDC (mA)	3000 (MAX)	TEST FREQ					
TEST INSTRUMENTS HP 4338A MILLIOHMMETER HP 4291B RF IMPEDANCE / MATERIAL ANALYZER			APPROVED BY <div style="text-align: right;">吳載敏</div>				
			CHECKED BY <div style="text-align: right;">張明德</div>				
			DRAWN BY <div style="text-align: right;">黃慧診</div>				

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :					DATE :				
PART NO: LCB3216-121Y-N					DWG.NO: TE9911121				
CUSTOMER PART NO :					CUST.DWG.NO :				
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)		DIMENSION (UNIT : mm)				
FREQ	100MHz /100mV				A	B	C	D	
SPEC	120 ± 25%	0.04 (MAX)	3000 (MAX)		3.2 ± 0.2	1.6 ± 0.2	1.1 ± 0.2	0.5 ± 0.3	
1	120.5	0.020	OK		3.25	1.62	1.14	0.52	
2	119.8	0.024	OK		3.20	1.61	1.12	0.51	
3	121.2	0.022	OK		3.24	1.65	1.10	0.53	
4	115.6	0.021	OK		3.20	1.64	1.12	0.55	
5	122.3	0.023	OK		3.21	1.62	1.10	0.51	
6	118.7	0.024	OK		3.22	1.61	1.14	0.54	
7	116.4	0.021	OK		3.23	1.63	1.13	0.52	
8	117.1	0.022	OK		3.20	1.64	1.10	0.53	
9	118.0	0.021	OK		3.23	1.61	1.12	0.51	
10	121.4	0.023	OK		3.21	1.62	1.11	0.52	
\bar{X}	119.1	0.022			3.22	1.63	1.12	0.52	
R	6.7	0.004			0.05	0.04	0.04	0.04	
						APPROVED BY			
						吳載敏			
						CHECKED BY			
						張明德			
						DRAWN BY			
						黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

LCB3216-121Y-N

