


# SPECIFICATION FOR APPROVAL

CUSTOMER:		DATE:	
PART NO: LCB3216-102Y-N		DWG.NO: TE9900102	
CUSTOMER PART NO:		CUST.DWG.NO:	
(1) DIMENSIONS (UNIT: mm)  		A	3.2 ± 0.2 m/m
		B	1.6 ± 0.2 m/m
		C	1.1 ± 0.2 m/m
		D	0.5 ± 0.3 m/m
		E	m/m
		F	m/m
		G	m/m
		H	m/m
		I	m/m
		J	m/m
(2) ELECTRICAL REQUIREMENTS			
Z (Ω)	1000 ± 25%	TEST FREQ	100MHz
RDC (Ω)	0.2 (MAX)	TEST FREQ	
IDC (mA)	2000 (MAX)	TEST FREQ	
TEST INSTRUMENTS HP 4338A MILLIOHMMETER HP 4291A RF IMPEDANCE / MATERIAL ANALYZER		APPROVED BY	
		吳載敏	
		CHECKED BY	
		張明德	
		DRAWN BY	
		黃慧診	

**CORE MASTER ENTERPRISE CO., LTD.**

TEL:886-2-8919-1288    FAX:886-2-8919-1298    WEB:www.coremaster.com.tw

# TEST DATA

CUSTOMER :					DATE :				
PART NO: LCB3216-102Y-N					DWG.NO: TE9900102				
CUSTOMER PART NO :					CUST.DWG.NO :				
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)		DIMENSION (UNIT : mm)				
FREQ	100MHz				A	B	C	D	
SPEC	1000 ± 25%	0.2 (MAX)	2000 (MAX)		3.2 ± 0.2	1.6 ± 0.2	1.1 ± 0.2	0.5 ± 0.3	
1	960.3	0.127	OK		3.23	1.63	1.11	0.51	
2	980.8	0.124	OK		3.23	1.62	1.10	0.50	
3	967.5	0.122	OK		3.24	1.61	1.10	0.48	
4	1000.2	0.119	OK		3.19	1.60	1.10	0.50	
5	1002.2	0.125	OK		3.20	1.61	1.12	0.51	
6	958.7	0.121	OK		3.21	1.62	1.12	0.52	
7	956.0	0.122	OK		3.18	1.60	1.09	0.49	
8	1015.7	0.125	OK		3.20	1.63	1.11	0.51	
9	998.2	0.115	OK		3.24	1.61	1.09	0.50	
10	1002.8	0.121	OK		3.22	1.63	1.12	0.49	
$\bar{X}$	984.24	0.122			3.21	1.62	1.11	0.50	
R	59.7	0.012			0.06	0.03	0.03	0.04	
						APPROVED BY			
						吳載敏			
						CHECKED BY			
						張明德			
						DRAWN BY			
						黃慧診			

**CORE MASTER ENTERPRISE CO., LTD.**

TEL:886-2-8919-1288    FAX:886-2-8919-1298    WEB:www.coremaster.com.tw

# LCB3216-102Y-N

