


SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:			
PART NO: CB1005-102Y-N				DWG.NO: TE2011165			
CUSTOMER PART NO:				CUST.DWG.NO:			
<p>(1) DIMENSIONS (UNIT: mm)</p> 				A	1.0 ± 0.1	m/m	
				B	0.5 ± 0.1	m/m	
				C	0.5 ± 0.1	m/m	
				D	0.1 (MIN)	m/m	
				E		m/m	
				F		m/m	
				G		m/m	
				H		m/m	
				I		m/m	
				J		m/m	
(2) ELECTRICAL REQUIREMENTS							
Z (Ω)	$1000 \pm 25\%$	TEST FREQ	100MHz				
RDC (Ω)	1.5 (MAX)	TEST FREQ					
IDC (mA)	50 (MAX)	TEST FREQ					
TEST INSTRUMENTS HP4338A MILLIOHMMETER HP 4291B RF IMPEDANCE/MATERIAL ANALYZER				APPROVED BY 吳載敏			
				CHECKED BY 張明德			
				DRAWN BY 黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB: www.coremaster.com.tw

TEST DATA

CUSTOMER :				DATE :					
PART NO: CB1005-102Y-N				DWG.NO: TE2011165					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)	DIMENSION (UNIT : mm)					
FREQ	100MHz			A	B	C	D		
SPEC	1000 ± 25%	1.5 (MAX)	50 (MAX)	1.0 ± 0.1	0.5 ± 0.1	0.5 ± 0.1	0.1 (MIN)		
1	970.8	0.984	OK	1.02	0.50	0.52	0.13		
2	891.2	1.060	OK	1.00	0.53	0.50	0.14		
3	907.3	0.966	OK	1.01	0.51	0.48	0.13		
4	962.7	0.944	OK	1.02	0.48	0.50	0.15		
5	950.7	1.021	OK	1.00	0.5	0.52	0.13		
6	846.6	0.981	OK	1.01	0.48	0.50	0.13		
7	904.4	1.018	OK	1.02	0.51	0.49	0.14		
8	1045.3	0.982	OK	0.98	0.49	0.51	0.13		
9	852.3	0.977	OK	1.01	0.52	0.50	0.14		
10	960.2	1.025	OK	0.99	0.51	0.48	0.13		
\bar{X}	929.2	0.996		1.01	0.5	0.5	0.14		
R	198.7	0.116		0.04	0.05	0.04	0.02		
						APPROVED BY			
						吳載敏			
						CHECKED BY			
						張明德			
						DRAWN BY			
						黃慧診			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB: www.coremaster.com.tw

CB1005-102Y-N

