


# SPECIFICATION FOR APPROVAL

CUSTOMER:		DATE:	
PART NO: CB1005-601Y-N		DWG.NO: TE2003187	
CUSTOMER PART NO:		CUST.DWG.NO:	
<p>(1) DIMENSIONS (UNIT: mm)</p> 		A	1.00 ± 0.10 m/m
		B	0.50 ± 0.10 m/m
		C	0.50 ± 0.10 m/m
		D	0.25 ± 0.15 m/m
		E	m/m
		F	m/m
		G	m/m
		H	m/m
		I	m/m
		J	m/m
(2) ELECTRICAL REQUIREMENTS			
Z (Ω)	600 ± 25%	TEST FREQ	100MHz / 100mV
RDC (Ω)	1 (MAX)	TEST FREQ	
IDC (mA)	100 (MAX)	TEST FREQ	
TEST INSTRUMENTS HP4338A MILLIOHMMETER HP 4291B RF IMPEDANCE/MATERIAL ANALYZER		APPROVED BY 吳載敏	
		CHECKED BY 張明德	
		DRAWN BY 黃慧診	

**CORE MASTER ENTERPRISE CO., LTD.**

TEL:886-2-8919-1288    FAX:886-2-8919-1298    WEB: www.coremaster.com.tw

# TEST DATA

CUSTOMER :				DATE :					
PART NO: CB1005-601Y-N				DWG.NO: TE2003187					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z ( $\Omega$ )	RDC ( $\Omega$ )	IDC (mA)	DIMENSION (UNIT : mm)					
				A	B	C	D		
FREQ	100MHz / 100mV								
SPEC	600 $\pm 25\%$	1 (MAX)	100 (MAX)	1.00 $\pm 0.10$	0.50 $\pm 0.10$	0.50 $\pm 0.10$	0.25 $\pm 0.15$		
1	580.2	0.417	OK	1.01	0.52	0.53	0.25		
2	605.0	0.409	OK	1.00	0.51	0.52	0.28		
3	612.1	0.408	OK	1.04	0.55	0.50	0.26		
4	609.7	0.420	OK	1.02	0.52	0.51	0.25		
5	616.5	0.411	OK	1.01	0.54	0.50	0.25		
6	580.9	0.417	OK	1.04	0.51	0.52	0.26		
7	613.2	0.418	OK	1.02	0.55	0.53	0.28		
8	611.3	0.409	OK	1.03	0.52	0.51	0.26		
9	617.4	0.426	OK	1.01	0.51	0.50	0.27		
10	595.6	0.436	OK	1.02	0.53	0.52	0.25		
$\bar{X}$	604.19	0.417		1.02	0.526	0.514	0.261		
R	37.2	0.028		0.04	0.04	0.03	0.03		
						APPROVED BY			
						吳載敏			
						CHECKED BY			
						張明德			
						DRAWN BY			
						黃慧診			

**CORE MASTER ENTERPRISE CO., LTD.**

TEL:886-2-8919-1288    FAX:886-2-8919-1298    WEB: [www.coremaster.com.tw](http://www.coremaster.com.tw)

# CB1005-601Y-N

